

**WTA 8 TN/ZA****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



Test adapters and test plugs are used for the electrical connection between terminal blocks and the test equipment. In this way, an electrical contact can be established in the wired state and measurements can be done easily.

**General ordering data**

Version	W-Series, Test adapter
Order No.	<a href="#">1915500000</a>
Type	WTA 8 TN/ZA
GTIN (EAN)	4032248548071
Qty.	25 pc(s).

Creation date August 16, 2023 7:13:28 AM CEST

Catalogue status 04.08.2023 / We reserve the right to make technical changes.

## WTA 8 TN/ZA

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

Depth	71 mm	Depth (inches)	2.795 inch
Height	39 mm	Height (inches)	1.535 inch
Width	6 mm	Width (inches)	0.236 inch
Net weight	5.12 g		

## Temperatures

Storage temperature	-25 °C...55 °C	Continuous operating temp., min.	-50 °C
Continuous operating temp., max.	100 °C		

## Material data

Material	Wemid	Colour	dark beige
UL 94 flammability rating	V-2		

## Additional technical data

Installation advice	Direct mounting	With snap-in pegs	Yes
---------------------	-----------------	-------------------	-----

## Conductors for clamping (rated connection)

Wire connection cross-section, solid core, max.	2.5 mm <sup>2</sup>	Wire connection cross-section, solid core, min.	0.5 mm <sup>2</sup>
---	---------------------	---	---------------------

## Dimensions

Pitch in mm (P)	6 mm	Height with TS 35	78 mm
-----------------	------	-------------------	-------

## General

Installation advice	Direct mounting
---------------------	-----------------

## Rating data

Rated cross-section	1.5 mm <sup>2</sup>	Rated voltage	205 V
Rated current	6 A	Volume resistance according to IEC 60947-7-x	1.83 mΩ
Power loss in accordance with IEC 60947-7-x	0.56 W		

## Classifications

ETIM 6.0	EC002555	ETIM 7.0	EC002555
ETIM 8.0	EC002555	ECLASS 9.0	27-14-11-48
ECLASS 9.1	27-14-11-48	ECLASS 10.0	27-14-11-48
ECLASS 11.0	27-14-11-48	ECLASS 12.0	27-14-11-48

## Approvals

ROHS	Conform
------	---------

**Data sheet****WTA 8 TN/ZA**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Technical data****Downloads**

Engineering Data	<a href="#">CAD data – STEP</a>
Engineering Data	<a href="#">WSCAD, Zuken E3.S, EPLAN</a>
User Documentation	<a href="#">StorageConditionsTerminalBlocks</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>