

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Mobile thermal transfer printer for marking materials in cartridge format. The printer can print materials in continuous format up to a material width of 24 mm.

Product description

The THERMOMARK GO.K handheld printer is ideal for fast identification on site. The thermal transfer printer is robust, easy to use, and offers versatile functions. It processes continuous media for terminal marking, cable and wire marking, equipment marking, and plant marking.

Scope of supply:

THERMOMARK GO.K, brief instructions

Your advantages

- Maintenance-free operation with proven thermal transfer printer technology
- 8 different bar codes and over 300 symbols can be integrated; up to 20 projects can be created and stored directly on the device
- Printing of self-adhesive, non-sticky labels and shrink sleeves
- The THERMOMARK GO.K prints materials in cartridge format, which contain the material to be marked and the appropriate ink ribbon
- Intuitive user guidance thanks to a well-structured menu and direct input keys
- Alternative control via the PROJECT complete software

Commercial data

Item number	1184146
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	BG1221
GTIN	4063151223441
Weight per piece (including packing)	858.09 g
Weight per piece (excluding packing)	676.46 g
Customs tariff number	84433210
Country of origin	CN

Technical data

Product properties

Product type	Printing system
--------------	-----------------

Device properties

Print width	24 mm
Print resolution	203 dpi

Electrical properties

Supply

Supply voltage range	100 V AC ... 240 V AC (50 Hz ... 60 Hz)
----------------------	---

Interfaces

Interface	USB
-----------	-----

Dimensions

Width	98 mm
Height	69 mm
Length	230 mm

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	5 °C ... 40 °C
---------------------------------	----------------

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/pc/products/1184146>



cULus Listed

Approval ID: E140403

UAE-RoHS

Approval ID: 13802_E22-04-033963

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

Classifications

ECLASS

ECLASS-11.0	19140104
ECLASS-12.0	19140104
ECLASS-13.0	19140104

ETIM

ETIM 8.0	EC001672
----------	----------

UNSPSC

UNSPSC 21.0	43212100
-------------	----------

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

Accessories

THERMOMARK GO ADAPTER - Power supply unit

0805010

<https://www.phoenixcontact.com/pc/products/0805010>



Power supply unit incl. 4 adapters for operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

THERMOMARK GO ACCU - Battery

0805009

<https://www.phoenixcontact.com/pc/products/0805009>



Battery for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

THERMOMARK GO CHARGER - Charging tray

0805012

<https://www.phoenixcontact.com/pc/products/0805012>



Charging cradle for charging the THERMOMARK GO ACCU battery (0805009), which is required for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

THERMOMARK GO.K MAGNET HOLDER - Mounting unit

0805008

<https://www.phoenixcontact.com/pc/products/0805008>



Magnetic holder for mounting the THERMOMARK GO.K / THERMOFOX mobile printer on metal surfaces, such as a control cabinet.

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

THERMOMARK GO CASE - Case

1229456

<https://www.phoenixcontact.com/pc/products/1229456>



Practical and robust case for storing the THERMOMARK GO and THERMOMARK GO.K mobile printers as well as accessories. The case offers space for 9 material cartridges and maximum flexibility for all transport situations thanks to the proven L-BOXX system.

THERMOMARK GO.K BAG - Transport bag

0805003

<https://www.phoenixcontact.com/pc/products/0805003>



Shoulder bag for storing the THERMOMARK GO.K / THERMOFOX mobile printer as well as necessary accessory parts

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

THERMOMARK GO.K BELT CLIP - Fastening clip

0805004

<https://www.phoenixcontact.com/pc/products/0805004>

Clip for fastening the THERMOMARK GO.K / THERMOFOX mobile printer to a belt.



MM-EMT (EX23)R C1 WH/BK - Insert label

0803969

<https://www.phoenixcontact.com/pc/products/0803969>

Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 21 mm



THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EML (EX10)R C1 SR/BK - Label

0803974

<https://www.phoenixcontact.com/pc/products/0803974>



Label, Roll, silver/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

MM-EML (EX10)R C1 WH/BK - Label

0803970

<https://www.phoenixcontact.com/pc/products/0803970>



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EML (EX12)R C1 SR/BK - Label

0803975

<https://www.phoenixcontact.com/pc/products/0803975>



Label, Roll, silver/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

MM-EML (EX12)R C1 WH/BK - Label

0803971

<https://www.phoenixcontact.com/pc/products/0803971>



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EML (EX18)R C1 SR/BK - Label

0803976

<https://www.phoenixcontact.com/pc/products/0803976>



Label, Roll, silver/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

MM-EML (EX18)R C1 WH/BK - Label

0803972

<https://www.phoenixcontact.com/pc/products/0803972>



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EML (EX24)R C1 SR/BK - Label

0803978

<https://www.phoenixcontact.com/pc/products/0803978>



Label, Roll, silver/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

MM-EML (EX24)R C1 WH/BK - Label

0803973

<https://www.phoenixcontact.com/pc/products/0803973>



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMLC (EX10)R C1 WH/BK - Fabric label

0803933

<https://www.phoenixcontact.com/pc/products/0803933>



Fabric label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

MM-EMLC (EX12)R C1 WH/BK - Fabric label

0803934

<https://www.phoenixcontact.com/pc/products/0803934>



Fabric label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMLC (EX18)R C1 WH/BK - Fabric label

0803936

<https://www.phoenixcontact.com/pc/products/0803936>



Fabric label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

MM-EMLF (EX10)R C1 BU/WH - Label, highly flexible

0803945

<https://www.phoenixcontact.com/pc/products/0803945>



Label, highly flexible, Roll, blue/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMLF (EX10)R C1 GN/WH - Label, highly flexible

0803950

<https://www.phoenixcontact.com/pc/products/0803950>



Label, highly flexible, Roll, green/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

MM-EMLF (EX10)R C1 OG/BK - Label, highly flexible

0803955

<https://www.phoenixcontact.com/pc/products/0803955>



Label, highly flexible, Roll, orange/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMLF (EX10)R C1 RD/WH - Label, highly flexible

0803959

<https://www.phoenixcontact.com/pc/products/0803959>



Label, highly flexible, Roll, red/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

MM-EMLF (EX10)R C1 WH/BK - Label, highly flexible

0803937

<https://www.phoenixcontact.com/pc/products/0803937>



Label, highly flexible, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMLF (EX10)R C1 YE/BK - Label, highly flexible

0803941

<https://www.phoenixcontact.com/pc/products/0803941>



Label, highly flexible, Roll, yellow/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

MM-EMLF (EX12)R C1 BU/WH - Label, highly flexible

0803946

<https://www.phoenixcontact.com/pc/products/0803946>



Label, highly flexible, Roll, blue/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMLF (EX12)R C1 GN/WH - Label, highly flexible

0803952

<https://www.phoenixcontact.com/pc/products/0803952>



Label, highly flexible, Roll, green/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

MM-EMLF (EX12)R C1 OG/BK - Label, highly flexible

0803956

<https://www.phoenixcontact.com/pc/products/0803956>



Label, highly flexible, Roll, orange/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMLF (EX12)R C1 RD/WH - Label, highly flexible

0803960

<https://www.phoenixcontact.com/pc/products/0803960>



Label, highly flexible, Roll, red/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

MM-EMLF (EX12)R C1 WH/BK - Label, highly flexible

0803938

<https://www.phoenixcontact.com/pc/products/0803938>



Label, highly flexible, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMLF (EX12)R C1 YE/BK - Label, highly flexible

0803942

<https://www.phoenixcontact.com/pc/products/0803942>



Label, highly flexible, Roll, yellow/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

MM-EMLF (EX18)R C1 BU/WH - Label, highly flexible

0803947

<https://www.phoenixcontact.com/pc/products/0803947>



Label, highly flexible, Roll, blue/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMLF (EX18)R C1 GN/WH - Label, highly flexible

0803953

<https://www.phoenixcontact.com/pc/products/0803953>



Label, highly flexible, Roll, green/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

MM-EMLF (EX18)R C1 OG/BK - Label, highly flexible

0803957

<https://www.phoenixcontact.com/pc/products/0803957>



Label, highly flexible, Roll, orange/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMLF (EX18)R C1 RD/WH - Label, highly flexible

0803961

<https://www.phoenixcontact.com/pc/products/0803961>



Label, highly flexible, Roll, red/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

MM-EMLF (EX18)R C1 WH/BK - Label, highly flexible

0803939

<https://www.phoenixcontact.com/pc/products/0803939>



Label, highly flexible, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMLF (EX18)R C1 YE/BK - Label, highly flexible

0803943

<https://www.phoenixcontact.com/pc/products/0803943>



Label, highly flexible, Roll, yellow/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

MM-EMLF (EX24)R C1 BU/WH - Label, highly flexible

0803949

<https://www.phoenixcontact.com/pc/products/0803949>



Label, highly flexible, Roll, blue/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMLF (EX24)R C1 GN/WH - Label, highly flexible

0803954

<https://www.phoenixcontact.com/pc/products/0803954>



Label, highly flexible, Roll, green/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

MM-EMLF (EX24)R C1 OG/BK - Label, highly flexible

0803958

<https://www.phoenixcontact.com/pc/products/0803958>



Label, highly flexible, Roll, orange/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMLF (EX24)R C1 RD/WH - Label, highly flexible

0803962

<https://www.phoenixcontact.com/pc/products/0803962>



Label, highly flexible, Roll, red/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

MM-EMLF (EX24)R C1 WH/BK - Label, highly flexible

0803940

<https://www.phoenixcontact.com/pc/products/0803940>



Label, highly flexible, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 24 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMLF (EX24)R C1 YE/BK - Label, highly flexible

0803944

<https://www.phoenixcontact.com/pc/products/0803944>



Label, highly flexible, Roll, yellow/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

MM-EMT (EX15)R C1 WH/BK - Insert label

0803966

<https://www.phoenixcontact.com/pc/products/0803966>



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 13 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMT (EX17)R C1 WH/BK - Insert label

0803967

<https://www.phoenixcontact.com/pc/products/0803967>



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 15 mm

MM-EMT (EX18)R C1 WH/BK - Insert label

0803968

<https://www.phoenixcontact.com/pc/products/0803968>



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 16 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-EMT (EX6)R C1 WH/BK - Insert label

0803963

<https://www.phoenixcontact.com/pc/products/0803963>



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 4 mm

MM-EMT (EX8)R C1 WH/BK - Insert label

0803965

<https://www.phoenixcontact.com/pc/products/0803965>



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 6 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-TML (EX3,8)R C1 WH/BK - Label

1092026

<https://www.phoenixcontact.com/pc/products/1092026>



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 2.8 mm

MM-TML (EX4,2)R C1 TR/BK - Label

0803979

<https://www.phoenixcontact.com/pc/products/0803979>



Label, Roll, transparent/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 3.2 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-TML (EX9,5)R C1 TR/BK - Label

0803981

<https://www.phoenixcontact.com/pc/products/0803981>



Label, Roll, transparent/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 7.5 mm

MM-TMT (EX6,35)R C1 WH/BK - Label

0803982

<https://www.phoenixcontact.com/pc/products/0803982>



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 4.3 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-TMT (EX9,5)R C1 WH/BK - Label

0803983

<https://www.phoenixcontact.com/pc/products/0803983>



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 7.5 mm

MM-WML 3 (EX10)R C1 WH/BK - Cable marker label

0803931

<https://www.phoenixcontact.com/pc/products/0803931>



Cable marker label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, cable diameter range: 2 ... 3 mm, lettering field size: continuous x 8 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-WML 5 (EX10)R C1 WH/BK - Cable marker label

0803932

<https://www.phoenixcontact.com/pc/products/0803932>



Cable marker label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, cable diameter range: 2 ... 5 mm, lettering field size: continuous x 8 mm

MM-WMS 3,2 (EX5)R C1 WH/BK - Shrink sleeve

0803923

<https://www.phoenixcontact.com/pc/products/0803923>



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1 ... 3.2 mm, lettering field size: continuous x 3.1 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-WMS 4,8 (EX9)R C1 WH/BK - Shrink sleeve

0803924

<https://www.phoenixcontact.com/pc/products/0803924>



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1.6 ... 4.8 mm, lettering field size: continuous x 5.4 mm

MM-WMS 6,4 (EX10)R C1 WH/BK - Shrink sleeve

0803925

<https://www.phoenixcontact.com/pc/products/0803925>



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 2.1 ... 6.4 mm, lettering field size: continuous x 8.2 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-WMS 9,5 (EX16)R C1 WH/BK - Shrink sleeve

0803926

<https://www.phoenixcontact.com/pc/products/0803926>



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 3.2 ... 9.5 mm, lettering field size: continuous x 12.8 mm

MM-WMS-2 3,2 (EX5)R C1 WH/BK - Shrink sleeve

0803927

<https://www.phoenixcontact.com/pc/products/0803927>



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1.6 ... 3.2 mm, lettering field size: continuous x 3.7 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-WMS-2 4,8 (EX9)R C1 WH/BK - Shrink sleeve

0803928

<https://www.phoenixcontact.com/pc/products/0803928>



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 2.4 ... 4.8 mm, lettering field size: continuous x 6.1 mm

MM-WMS-2 6,4 (EX10)R C1 WH/BK - Shrink sleeve

0803929

<https://www.phoenixcontact.com/pc/products/0803929>



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 3.2 ... 6.4 mm, lettering field size: continuous x 8.5 mm

THERMOMARK GO.K - Thermal transfer printer



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

MM-WMS-2 9,5 (EX16)R C1 WH/BK - Shrink sleeve

0803930

<https://www.phoenixcontact.com/pc/products/0803930>



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 4.8 ... 9.5 mm, lettering field size: continuous x 12.5 mm

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

info@phoenixcontact.com