

KMV CUS - Stainless steel label

0828493

<https://www.phoenixcontact.com/pc/products/0828493>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Stainless steel label, can be ordered: Piece, silver, labeled according to customer specifications, mounting type: Assembly with cable ties, cable diameter range: 1 ... 63 mm, lettering field size: 65 x 19 mm

Your advantages

- Easy assembly with UNIFOX-CT M7,9
- Secured using stainless steel cable binders
- Cable markers for marking cables and conductors with larger cross sections
- The individual stainless steel markers are pushed onto the corresponding holders

Commercial data

| | |
|--------------------------------------|--------------------------------|
| Item number | 0828493 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Note | Made to order (non-returnable) |
| Product key | BG8145 |
| Catalog page | Page 223 (C-5-2013) |
| GTIN | 4046356512640 |
| Weight per piece (including packing) | 3.07 g |
| Weight per piece (excluding packing) | 3 g |
| Customs tariff number | 73269098 |
| Country of origin | PL |

KMV CUS - Stainless steel label



0828493

<https://www.phoenixcontact.com/pc/products/0828493>

Technical data

Product properties

| | |
|--------------|--------------------------|
| Product type | Labeled conductor marker |
| Type | Mounting set |

Mounting

| | |
|---------------|--------------------------|
| Mounting type | Assembly with cable ties |
|---------------|--------------------------|

Material specifications

| | |
|----------------|---------------------|
| RoHS compliant | yes |
| Color | silver |
| Material | Stainless steel 304 |

Environmental and real-life conditions

Ambient conditions

| | |
|---|-------------------|
| Ambient temperature (operation) | -80 °C ... 538 °C |
| Recommended ambient temperature (storage/transport) | 23 °C |
| Recommended humidity (storage/transport) | 50 % |

Dimensions

| | |
|--------|-------|
| Width | 19 mm |
| Length | 89 mm |

External dimensions

| | |
|------------------|----------------|
| Outside diameter | 1 mm ... 63 mm |
|------------------|----------------|

KMV CUS - Stainless steel label

0828493

<https://www.phoenixcontact.com/pc/products/0828493>



Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-11.0 | 27281102 |
| ECLASS-12.0 | 27281102 |
| ECLASS-13.0 | 27281102 |

ETIM

| | |
|----------|----------|
| ETIM 8.0 | EC001530 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39131500 |
|-------------|----------|

KMV CUS - Stainless steel label

0828493

<https://www.phoenixcontact.com/pc/products/0828493>



Accessories

PKBV 130X4,6 - Cable tie

0806657

<https://www.phoenixcontact.com/pc/products/0806657>



Steel cable tie, rust-proof, anti-magnetic

PKBV 200X4,6 - Cable tie

0806660

<https://www.phoenixcontact.com/pc/products/0806660>



Steel cable tie, rust-proof, anti-magnetic

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

info@phoenixcontact.com