



Corepro - LED HID HPL

TForce Core LED HPL 13W E27 830 FR

Philips TrueForce Core LED HPL lamps are an easy, LED solution with a short pay-back to replace High Intensity Discharge (HID) lamps. This new generation of LED Core Post-Top lamps brings all the energy-efficiency and long-lifetime benefits of LED to HID replacement, while delivering instant saving for a low initial investment. Furthermore, TrueForce CorePro LED HPL lamps are designed to have the same lamp size and light distribution as their HID alternatives. And thanks to our high-power LED filament technology, you'll never know the difference. Plus, their unique IP65 design means that TrueForce Core LED HPL Post-Top lamps can be used for outdoor, as well as indoor applications.

Warnings and Safety

- Installation should always be performed by a qualified electrician or installer. Use the installation guide for instructions.

Product data

General Information		Color Designation	
Cap-Base	E27 [E27]	Color Designation	White (WH)
Nominal lifetime	25,000 hour(s)	Correlated Color Temperature (Nom)	3000 K
Switching Cycle	15,000	Luminous Efficacy (rated) (Nom)	153.00 lm/W
Lighting Technology	LED	Color Consistency	<6
Flux measurement reference	Sphere	Color rendering index (CRI)	80
CE mark	Yes	LLMF At End Of Nominal Lifetime (Nom)	0.7 %
EU RoHS compliant	Yes	Flickering value (PstLM)	1
		Stroboscopic effect value (SVM)	1.6
		Photobiological safety according to EN 62471	RG1
Light Technical		Operating and Electrical	
Color Code	830 [CCT of 3000K]	Line Frequency	50 to 60 Hz
Beam Angle (Nom)	300 degree(s)	Input Frequency	50 to 60 Hz
Luminous Flux	2,000 lumen		

Corepro - LED HID HPL

Power Consumption	13 W
Lamp Current (Nom)	130 mA
Wattage Equivalent	50 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (Nom)	220-240 V

Temperature

Ambient temperature range	-30 to +45 °C
T-Case Maximum (Nom)	42 °C

Controls and Dimming

Dimmable	No
----------	----

Mechanical and Housing

Bulb Finish	Frosted
Bulb Shape	ED75 [ED 75mm]


Approval and Application

Energy Efficiency Class	D
Energy Consumption kWh/1000 h	13 kWh
EPREL Registration Number	403618

Product Data



Full product code	871869975025100
Order product name	TForce Core LED HPL 13W E27 830 FR
Order code	929002349702
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929002349702
Full product name	TForce Core LED HPL 13W E27 830 FR
EAN/UPC - Case	8718699750268
EAN/UPC - Product/Case	8718699750251

Dimensional drawing



Product	D	C
TForce Core LED HPL 13W E27 830 FR	75 mm	180 mm

Photometric data




General uniform lighting - TForce Core LED HPL 13W E27 830 FR

Light Distribution Diagram - TForce Core LED HPL 13W E27 830 FR

Corepro - LED HID HPL

Photometric data



Spectral Power Distribution Colour - TForce Core LED HPL 13W E27 830 FR

Lifetime



Life Expectancy Diagram - TForce Core LED HPL 13W E27 830 FR



Lumen Maintenance Diagram - TForce Core LED HPL 13W E27 830 FR

